



5x HOT FIREPol® Probe qPCR Mix Plus (no ROX)

Cat. No.	Pack Size	Conc. (MgCl ₂)
08-15-0000S	0.2 ml SAMPLE (50 reactions)	15 mM
08-15-00001	1 ml (250 reactions)	15 mM
08-15-00020	20 ml (5000 reactions)	15 mM

For in vitro use only

Description:

HOT FIREPol® Probe qPCR Mix Plus (no ROX) is optimized for real-time quantitative PCR assays and contains all the components necessary to perform qPCR, with the exception of template, primers, and probe. The qPCR Mix contains optimized components and HOT FIREPol® DNA Polymerase supplied in a proprietary reaction buffer that enables detection of low copy number targets.

HOT FIREPol® DNA Polymerase is activated by a 15 min incubation step at 95°C. This prevents extension of non-specifically annealed primers and primer-dimers formed at low temperatures during qPCR setup.

Applications:

- Detection and quantification of DNA and cDNA targets
- Profiling gene expression
- Microbial detection
- Viral load determination

Mix Composition:

- HOT FIREPol[®] DNA Polymerase
- 5x Probe qPCR buffer
- 15 mM MgCl₂ 1 x PCR solution – 3 mM MgCl₂
- dNTPs, including dTTP to improve reaction sensitivity and efficiency compared to dUTP
- No ROX dye

Recommended qPCR reaction mix:

Component	Volume	Final conc.	
5x HOT FIREPol® Probe qPCR Mix Plus	4 μΙ	1x	
Primer Forward (10 pmol/µI)	0.4-0.8 µl	200-400 nM	
Primer Reverse (10 pmol/µI)	0.4-0.8 µl	200-400 nM	
Probe	1 µl	100-250 nM	
DNA template	1-5 µl	1-50 ng/µl	
H₂O PCR grade	up to 20 µl		
Total	20 μΙ		

Recommended qPCR cycles:

Cycle step	Temp.	Time	Cycles
Initial denaturation	95°C	15 min	1
Denaturation	95°C	15-20 s	40
Annealing/Elongation	on 60°C 60 s		40

IMPORTANT: To activate the polymerase, include an incubation step **at 95°C for 15 minutes** at the beginning of the qPCR cycle.

Shipping and Storage conditions:

Routine storage: -20°C

Shipping and temporary storage for up to 1 month at room temperature has no detrimental effects on the quality of HOT FIREPol® Probe qPCR Mix Plus (no ROX).

Safety warnings and precautions:

This product and its components should be handled only by persons trained in laboratory techniques. It is advisable to wear suitable protective clothing, such as laboratory overalls, gloves and safety glasses. Care should be taken to avoid contact with skin or eyes. In case of contact with skin or eyes, wash immediately with water.

Some applications this product is used in may require a license which is not provided by the purchase of this product. Users should obtain the license if required.